Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:SSPTASXS1656

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS 1		Web Page for STN Seminar Schedule - N. America
NEWS 2	AUG 10	Time limit for inactive STN sessions doubles to 40 minutes
NEWS 3	AUG 18	COMPENDEX indexing changed for the Corporate Source (CS) field
NEWS 4	AUG 24	ENCOMPLIT/ENCOMPLIT2 reloaded and enhanced
NEWS 5	AUG 24	CA/CAplus enhanced with legal status information for U.S. patents
NEWS 6	SEP 09	50 Millionth Unique Chemical Substance Recorded in CAS REGISTRY
NEWS 7	SEP 11	WPIDS, WPINDEX, and WPIX now include Japanese FTERM thesaurus
NEWS 8	OCT 21	Derwent World Patents Index Coverage of Indian and Taiwanese Content Expanded
NEWS 9	OCT 21	Derwent World Patents Index enhanced with human translated claims for Chinese Applications and Utility Models
NEWS 10	NOV 23	Addition of SCAN format to selected STN databases
NEWS 11	NOV 23	Annual Reload of IFI Databases
NEWS 12	DEC 01	FRFULL Content and Search Enhancements
NEWS 13	DEC 01	DGENE, USGENE, and PCTGEN: new percent identity feature for sorting BLAST answer sets
NEWS 14	DEC 02	Derwent World Patent Index: Japanese FI-TERM thesaurus added
NEWS 15	DEC 02	PCTGEN enhanced with patent family and legal status display data from INPADOCDB
NEWS 16	DEC 02	USGENE: Enhanced coverage of bibliographic and sequence information
NEWS 17	DEC 21	New Indicator Identifies Multiple Basic Patent Records Containing Equivalent Chemical Indexing in CA/CAplus
NEWS 18	JAN 12	Match STN Content and Features to Your Information Needs, Quickly and Conveniently
NEWS 19	JAN 25	Annual Reload of MEDLINE database

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer

agreement. This agreement limits use to scientific research. Use
for software development or design, implementation of commercial
gateways, or use of CAS and STN data in the building of commercial
products is prohibited and may result in loss of user privileges
and other penalties.

* * * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 14:35:31 ON 31 JAN 2010

=> File MEDLINE, SCISEARCH, LIFESCI, BIOSIS, EMBASE, HCAPLUS, NTIS, ESBIOBASE, BIOTECHNO, WPIDS
COST IN U.S. DOLLARS SINCE FILE ENTRY 0.22 TOTAL SESSION 0.22
FULL ESTIMATED COST

FILE 'MEDLINE' ENTERED AT 14:35:44 ON 31 JAN 2010

FILE 'SCISEARCH' ENTERED AT 14:35:44 ON 31 JAN 2010
Copyright (c) 2010 The Thomson Corporation

FILE 'LIFESCI' ENTERED AT 14:35:44 ON 31 JAN 2010
COPYRIGHT (C) 2010 Cambridge Scientific Abstracts (CSA)

FILE 'BIOSIS' ENTERED AT 14:35:44 ON 31 JAN 2010
Copyright (c) 2010 The Thomson Corporation

FILE 'EMBASE' ENTERED AT 14:35:44 ON 31 JAN 2010
Copyright (c) 2010 Elsevier B.V. All rights reserved.

FILE 'HCAPLUS' ENTERED AT 14:35:44 ON 31 JAN 2010
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2010 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'NTIS' ENTERED AT 14:35:44 ON 31 JAN 2010
Compiled and distributed by the NTIS, U.S. Department of Commerce.
It contains copyrighted material.
All rights reserved. (2010)

FILE 'ESBIOBASE' ENTERED AT 14:35:44 ON 31 JAN 2010
COPYRIGHT (C) 2010 Elsevier Science B.V., Amsterdam. All rights reserved.

FILE 'BIOTECHNO' ENTERED AT 14:35:44 ON 31 JAN 2010
COPYRIGHT (C) 2010 Elsevier Science B.V., Amsterdam. All rights reserved.

FILE 'WPIDS' ENTERED AT 14:35:44 ON 31 JAN 2010
COPYRIGHT (C) 2010 THOMSON REUTERS

=> S (bicarbonate or carbonate) (4A) buffer
L1 16057 (BICARBONATE OR CARBONATE) (4A) BUFFER

=> S (bicarbonate or carbonate) (6A) paint
L2 956 (BICARBONATE OR CARBONATE) (6A) PAINT

=> s l1 and l2
L3 3 L1 AND L2

=> duplicate
ENTER REMOVE, IDENTIFY, ONLY, OR (?):remove

```
ENTER L# LIST OR (END):l3
DUPLICATE PREFERENCE IS 'HCAPLUS, WPIDS'
KEEP DUPLICATES FROM MORE THAN ONE FILE?  Y/(N):n
PROCESSING COMPLETED FOR L3
L4             2 DUPLICATE REMOVE L3 (1 DUPLICATE REMOVED)

=> d l4 1-2 bib ab

L4   ANSWER 1 OF 2  HCAPLUS  COPYRIGHT 2010 ACS on STN DUPLICATE 1
AN   2005:1004327  HCAPLUS
DN   143:292042
TI   pH-Buffered alkylene carbonate nail polish and paint
     remover
IN   Perlman, Daniel
PA   USA
SO   U.S. Pat. Appl. Publ., 11 pp.
     CODEN: USXXCO
DT   Patent
LA   English
FAN.CNT 1
     PATENT NO.          KIND   DATE        APPLICATION NO.        DATE
     ---------------     ----   --------    -------------------    --------
PI   US 20050202982      A1     20050915    US 2004-800492         20040315
     US 7485608          B2     20090203
PRAI US 2004-800492              20040315
AB   A method of improving chemical stability and increasing the efficacy of
     alkylene carbonate-containing nail polish remover or general purpose solvent,
     such as a paint thinner or stripper is disclosed.  The composition includes:
     (i) between 10% and 98% by weight of at least one alkylene carbonate solvent,
     (ii) between 1.5% and 25% by weight water, and (iii) an effective amount of a
     pH-buffering agent that maintains the pH of the composition between approx. pH
     2 and pH 6.5 and that is chemical inert in the composition  The water in the
     composition functions to increase the rate at which the composition dissolves,
e.g.,
     nail lacquers, and the pH-buffering agent functions to stabilize the
     alkylene carbonate solvent against hydrolytic decomposition from pH-altering
     contaminants that may be introduced into the composition  Thus, a nail polish
     remover containing propylene carbonate 85.3%, dipropylene glycol 3.8%, Me
     propanediol glycol 3.0%, aqueous buffer 7.5%, glycerol 0.2%, methylparaben
     0.1% and propylparaben 0.1% was prepared  The above aqueous buffer (pH 4.0)
     contained 5 mM citric acid, 2.5 mM sodium citrate and 1 mM disodium EDTA.
RE.CNT  11    THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD
              ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4   ANSWER 2 OF 2  WPIDS COPYRIGHT 2010       THOMSON REUTERS on STN
AN   1992-004282 [01]   WPIDS
DNC  C1992-001873 [21]
DNN  N1992-003234 [21]
TI   Painting of guard wax for vehicular body  - comprises applying wax to
     paint film surface and aqueous sodium carbonate
     buffer solution to finish
DC   G02; M13; P42; Q17
IN   AIZAWA M; YAMANE T
PA   (TOYO-C) TOYO KOGYO CO
CYC  1
PIA  JP 03258377     A  19911118 (199201)* JA
ADT  JP 03258377 A JP 1990-59245 19900309
PRAI JP 1990-59245       19900309
AB   JP 03258377 A   UPAB: 20050503
     In the painting method of guard wax for vehiclular body, a guard wax
     containing no neutraliser and/or buffer agent is applied to the surface of the
```

paint film of the vehicular body, and a neutraliser such as Na2CO3 and/or buffer solution is applied to the surface of the guard wax in a wet state. Pref. the neutraliser is a 18% aqueous Na2CO3 solution for example and the buffer agent is a 4:6 mixture of KH2PO4 and Na2HPO4 of pH 6.98.

USE/ADVANTAGE - This method can effectively and simply form uniform guard wax film containing uniformly dispersed neutraliser and/or buffer agent and having excellent acid resistance on the surface of the vehicular body. @(5pp Dwg.No.0/2)

=>
<--